

INSTALLATION & CARE

2015-2023 MUSTANG LED TAIL LIGHTS INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

1/4" Ratchet	10 mm Socket	Trim Pad Remover	
			

PRODUCT NUMBER

LT-MST15BBLED-SQ-TM
LT-MST15BKLED-SQ-TM
LT-MST15BWLED-SQ-TM



LET'S START THE INSTALLATION



STEP 1

Open Trunk and remove four retainers that hold the trim panel, two on each side




STEP 2

Remove the trim panel




STEP 3

Remove the push pin for both side



STEP 4

Remove the (3) 10mm nuts and disconnect the taillight connector




STEP 5

Remove the factory taillights



STEP 6


Install the new taillights



STEP 7
Install the (3) 10mm nuts and connect the taillight connector



STEP 8
Nuts and connector connected



STEP 9
Repeat all steps for the other side



STEP 10
Reinstall the push pin for both side



STEP 11
Install the trim panel



STEP 12
Install four retainers that hold the trim panel, two on each side



STEP 13
Close the trunk to complete the installation

INSTALLATION & CARE

2015-2023 MUSTANG LED TAIL LGHTS INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

2015-2023 MUSTANG LED TAIL LGHTS INSTALLATION INSTRUCTION

