

# Installation & CARE

## 2000-2005 MITSUBISHI ECLIPSE OEM STYLE HEADLIGHTS INSTRUCTION

### BEFORE INSTALLATION

- If you experience any difficulties that the instruction did not cover, please seek assistance at local automotive shop.
- Please wear protection before you work on any vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicles's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

### TOOLS AND SUPPLIES REQUIRED

¼" Ratchet	10 mm socket		
			

### PRODUCT NUMBER

LH-ELP00JM-ABM  
LH-ELP00-ABM



### LET'S START THE INSTALLATIONS



**STEP 1**

Disconnect the bulb socket behind the headlight housing



**STEP 2**

Remove (3) 10mm bolts



**STEP 3**

Remove the headlight housing



**STEP 4**

Remove the headlight rubber bulb cover



**STEP 5**

Undo the bulb clip



**STEP 6**

Remove the bulb



**STEP 7**

Place the bulb in new headlight housing



**STEP 8**

Lock the bulb



**STEP 9**

Secure the rubber bulb cover



**STEP 10**

High and low beam adjustment screws



**STEP 11**

Replace the headlight housing




**STEP 12**

Secure (3) 10mm bolts



**STEP 13**

Connect the bulb socket



**STEP 14**

Please repeat the steps from 1 to 13 for the opposite side



The installation is now complete



## 2000-2005 MITSUBISHI ECLIPSE OEM STYLE HEADLIGHTS INSTRUCTION

### BEFORE INSTALLATION

- If you experience any difficulties that the instruction did not cover, please seek assistance at local automotive shop.
- Please wear protection before you work on any vehicle.
- An assistant is useful when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicles's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

## 2000-2005 MITSUBISHI ECLIPSE OEM STYLE HEADLIGHTS INSTRUCTION

### High/Low Beam Adjustment Screws

