



2004-2012 NISSAN TITAN 3RD BRAKE LIGHTS

INSTALLATION INSTRUCTIONS

*If you experienced any difficulties that the instruction did not cover, Please seek local auto shop for advise.

*Please wear protection before you work on your vehicle.

*An assistant is helpful when removing the front bumper.

*Please be careful while working with the bumper or body part to avoid scratching.

*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



TOOLS AND SUPPLIES REQUIRED

1/4" Ratchet

6" Extension

8mm Deep Socket

Handy Remover

Product Part Number:

LT-TIT04RBGLED-CY

LT-TIT04RBCLED-CY






*If you experienced any difficulties that the instruction did not cover, Please seek local auto shop for advise.

*Please wear protection before you work on your vehicle.

*An assistant is helpful when removing the front bumper.


*Please be careful while working with the bumper or body part to avoid scratching.

*Do not make direct contact with the halogen bulb or the wire assembly until the unit has cooled down after use.



1. There are two screw covers on the top of the ceiling inside the car

2. Pop open both screw covers



3. Remove the two screws from each hole


4. Carefully loosen the OEM 3rd brake light from the roof



5. Pull out the OEM 3rd brake light



6. After you pull out the 3rd brake light, you will see all the wires and connector harness



7. Disconnect the connector harness from the vehicle



8. Bring out the new 3rd brake light



9. Plug the connector harness with the new 3rd brake light



10. Reinstall both screws inside the ceiling of the vehicle



11. Put the screw covers back on



12. The installation is now complete