

INSTALLATION & CARE

2015-2021 SUBARU WRX STI LED PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

1/4" Ratchet	Trim Pad Remover	Plastic Pry Bar	10 mm Deep Socket
			

PRODUCT NUMBER

2LHP-WRX15BK-SQ-TM
2LHP-WRX15G-SQ-TM
2LHP-WRX15JM-SQ-TM



LET'S START THE INSTALLATION



STEP 1

Remove the (6) 10mm mounting bolts and (3) clips



STEP 2

Remove the bumper top bracket



STEP 3

Remove the (3) clips on under bumper cover



STEP 4

Remove the (3) clips on under wheel cover



STEP 5

Disconnect the turn signal connector



STEP 6

Disconnect the turn signal connector



STEP 7

Remove the clips on each side of the side of the bumper



STEP 8

Remove the front bumper



STEP 9

Remove the clip and the (2) 10mm headlight mounting bolts at the side of the headlight



STEP 10

Remove the (2) 10mm headlight mounting bolts at the front of the headlight



STEP 11

Remove the headlight bracket



STEP 12

Remove the clip and the (2) 10mm headlight mounting bolts at the top of the headlight



STEP 13

Disconnect the headlight connector and remove the stock headlight housing



STEP 14

Connect the new headlight connector



STEP 15

Seat the new headlight assembly in place



STEP 16

Reinstall the clip and the (2) 10mm headlight mounting bolts at the top of the headlight



STEP 17

Reinstall the headlight bracket



STEP 18

Reinstall the (2) 10mm headlight mounting bolts at the front of the headlight



STEP 19

Reinstall the clip and the (2) 10mm headlight mounting bolts at the side of the headlight



STEP 20

Connect the turn signal wires from the new headlight to the car turn signal wires, RH black to black and yellow to red/white, LH black to black and yellow to grey.




STEP 21

Connect the turn signal wires from the new headlight to the car turn signal wires, RH black to black and yellow to red/white, LH black to black and yellow to grey.



STEP 22

Place the projector control box on the cleaned metal surface



STEP 23

Repeat steps for other side



STEP 24

Install the front bumper



STEP 25

Reinstall the clips on each side of the side of the bumper



STEP 26

Connector the turn signal connector



STEP 27

Reinstall the (3) clips on under bumper cover



STEP 28

Reinstall the (3) clips on under wheel cover



STEP 29

Reinstall the bumper top bracket



STEP 30

Reinstall the (6) 10mm mounting bolts and (3) clips



STEP 31

Close the hood and complete the installation



2015-2021 SUBARU WRX STI LED PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

2015-2021 SUBARU WRX STI LED PROJECTOR HEADLIGHTS INSTALLATION INSTRUCTION



BEAM ADJUSTER