

INSTALLATION & CARE

2015-2021 SUBARU WRX FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

1/4" Ratchet	Trim Pad Remover	8 mm Socket	Plastic Pry Bar
			

PRODUCT NUMBER

LT-WRX15JMLED-SQ-RS
LT-WRX15JRLED-SQ-RS
LT-WRX15BBLED-SQ-RS
LT-WRX15SMLED-SQ-RS
LT-WRX15BKLED-SQ-RS



LET'S START THE INSTALLATION



STEP 1

Remove three plastic clips



STEP 2

Remove the trunk trim panel cover



STEP 3

Remove three plastic clips and pull out the trunk side liner cover to access the back of the tail light



STEP 4

Disconnect the tail light harness and remove three 8mm tail light mounting nuts



STEP 5

Remove the factory tail light housing




STEP 6

Connect the tail light harness



STEP 7

Seat the new tail light assembly in place




STEP 8

Reinstall three 8mm tail light mounting nuts



STEP 9

Reinstall the trunk side liner cover and three plastic clips



STEP 10

Repeat Steps for Other Side



STEP 11

Reinstall the trunk trim panel cover



STEP 12

Reinstall the three plastic clips



STEP 13

Close the trunk to complete installation



INSTALLATION & CARE

2015-2021 SUBARU WRX FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

2015-2021 SUBARU WRX FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

