

INSTALLATION & CARE

2007-2013 TOYOTA TUNDRA FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

TOOLS AND SUPPLIES REQUIRED

1/4" Ratchet	Plastic Pry Bar	T30 Socket	Pick Tool
			

PRODUCT NUMBER

- LT-TUN07JMLED-SQ-RS
- LT-TUN07BKLED-SQ-RS
- LT-TUN07SMLED-SQ-RS
- LT-TUN07BZLED-SQ-RS



LET'S START THE INSTALLATION



STEP 1

Open the tailgate



STEP 2

Remove the (2) mounting bolts using a T30 Socket



STEP 3

Remove the factory taillight



STEP 4

Light sockets shown for factory taillight



STEP 5

Remove all (3) light sockets from the factory taillight



STEP 6

Unfasten the wire harness from the car body



STEP 7

Unfasten the wire harness underneath behind the rear bumper



STEP 8

Unfasten the wire harness underneath behind the rear bumper



STEP 9

Unfasten the wire harness underneath behind the rear bumper



STEP 10

Disconnect the wire harness underneath behind the rear bumper



STEP 11

Remove the factory taillight harness



STEP 12

Remove the bracket from the factory taillight connector



STEP 13

Remove the bracket from the factory taillight connector



STEP 14

Transfer the bracket to the new taillight connector



STEP 15

Drop the new taillight harness down behind




STEP 16

Seat the new tail light assembly in place



STEP 17

Install the (2) T30 mounting bolts to secure the taillights




STEP 18

Connect the taillight harness connector underneath behind the rear bumper



STEP 19

Connect the taillight harness connector underneath behind the rear bumper



STEP 20

Repeat all steps for the other side



STEP 21

Close the tailgate to complete installation



2007-2013 TOYOTA TUNDRA FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

BEFORE INSTALLATION:

- If you experience any difficulties that the instructions did not cover, please seek assistance at a local automotive shop.
- Please wear proper protective equipment before you work on any vehicle.
- An assistant is recommended when removing the front bumper from your vehicle.
- Please be cautious when working with the bumper or any parts belonging to the vehicle's body to prevent scratching.
- Do not make direct contact with the halogen bulbs or the wire assembly until the unit has cooled down after use.

2007-2013 TOYOTA TUNDRA FULL LED TAIL LIGHT INSTALLATION INSTRUCTION

